



YOU'RE HOME NOW



Close the door and take the day off your shoulders. Whatever life throws at you, it's all fine.

YOU'RE HOME NOW





Sleep soundly with our Secured by Design police approved cylinder





Apeer

Our police-approved, 'secured by design' anti-bump, anti- drill, anti-pick and antisnap Kitemarked cylinder lock barrels are fitted as standard to every Apeer door. And if that isn't enough to put off even the most determined criminal, our triple glazed, anti-tamper glazing system will.

SECURED by design*




Locking System Multi-point locking system is fitted as standard to reinforce the concept of safety in your home.



Steel Hinge Bolts Steel hinge bolts secure the door to the frame on Apeer70 only, protecting against intruders.





AV2 Lock

locking system

* Secured by Design doors must be ordered with laminated glass.



Coupling Bar Sidelights are coupled with aluminium bar for greater security, rigidity and stability.



Glazing Units Apeer70 doors have triple glazed units as standard.



Apeer Traditonal Glazing System Matching timber-effect

raised mouldings fitted to the inside of the door and covers our reinforced, fully insulated toughened glazed units.



Yale Locking System 2 rollers, 3 hooks, 2 deadbolts and 1 latch, high security system protects your family from intruders.



Kitemark Cylinder Anti-bump, anti-drill, anti-pick and anti-snap Kitemarked cylinder lock barrels are fitted as standard.



Hinges Flag or butt hinges are fitted to Apeer70 doors to allow for adjustment.







Take it easy with our low maintenance colour match wood grain finish

YOU'RE HOME NOW





Our low-maintenance, highly robust colour finish is designed to stay looking good year after year, both on the outside and on the inside. Choose the perfect colour for the exterior of your home and match it with the perfect colour for the inside. Plus, for absolute consistency even when the door is open, we carefully colour match every edge.

COLOUR by design



Colour Matching

Our manufacturing process allows us the flexibility to colour match your complete door entrance system, inside and outside. Colour choices are not restricted to white frames, or to a white only finish on the inside. Choose your door colour, match the door frames, rebate, weather deflector and internal finish.



RAL For a bespoke colour finish simply bring along a RAL or BS colour reference.

Standard **Colour Range**



Steel Blue (Renolit 5150-05-167)

Dark Red (Renolit 3081-05-167)

Rosewood (Cova 49186-011 Piedmont A)



White (Halo System

10 Rustique 2 Smooth Frame Finish)

Apeer Cream 2 (Renolit Exofol PX 46835-101100)



(Cova 49158-011)

Burgundy (Renolit 3005-05-167)

Chartwell Green

Anthracite Grey (Renolit 49246 - 101100) (Renolit 49122-011)





Halo Foiled White (Halo System 10 Rustique 2 Renolit Exofol PX 02.20.91.000001-116801

Grained Frame Finish)

Dark Green (Renolit 6125-05-167) Apeer Black 2 (Renolit Exofol MX 49116-101100)

* Metallic Colours are not available. There is an extra charge for Premium and RAL/BS colours

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. Please note the grain on the GRP Apeer door does not replicate the grain on the frame as it is a PVC foil. The grain and colour on the Oak and Rosewood doors are not an exact match to the Oak and Rosewood PVC frames. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.

Premium **Colour Range**



Porcelain Blue BS20C33



Light Grey (RAL 7035)



Traffic Red (RAL 3020)



Mandarin Orange (BS06E51)



Green Mist (BS12B17)



Pale Lime (BS12E51)



Traffic Yellow (RAL 1023)



Traffic Purple (RAL 4006)



Light Blue (RAL 5012)



Turquoise Blue (RAL 6033)



Pale Lilac (BS24C33)




Orchid Pink (BS04C33)

Stay snug with double protection from draughts with our double rebate




YOU'RE HOME NOW






Did you know that much like your washing machine or your fridge freezer, your front door can be energy rated too? So, when we created our flagship product the Apeer70, we used the very latest in design and materials to help keep the heat in and the cold out; creating one of the most energy efficient doors available.

A-RATED by design



Double Rebate Apeer70's double rebate system adds additional draught protection by creating an internal secondary rebated seal.



Triple Glazed*

For better insulation every Apeer70 is equipped with toughened triple glazed units and Apeer44 with double glazed units. Glazed units are also available with Low E glass and can be gas filled to offer improved thermal performance.

*Low E glass is only available in clear.



Choose from either one of our two main formats - Apeer70 and Apeer 44*









Apeer may come in two formats, but the principles behind each remain the same. Whether you choose the 70mm thick, double rebate Apeer70, or the ingenuity of the 44mm thick, single rebate Apeer44, both perform exceptionally well in terms of energy efficiency, security and appearance.

DIFFERENT by design


Apeer 70

70mm of high density polyurethane foam, extra insulating double rebate, GRP inner frame, handmade triple glazed decorative units, double steel hinge bolts Kitemark version available, lifelike grain.

Apeer 44

44mm of high density polyurethane foam, handmade double glazed Q Seal warm edge Super Spacer system, matched timber effect raised mouldings, flush fit, lifelike grain. (Apeer44 doors are not available in the contemporary style.)

*Cutout shows Apeer70 on left and Apeer44 on right. The door codes featured in the brochure refer to Apeer70. For Apeer44 single rebate door codes change the code prefix to MO instead of AP, eg APA1 becomes MOA1.







Introducing our range of doors with traditional features and glass elements



APEER 70 TRADITIONAL





APA1 LO64



See p72 for fused tile colour options.





APA3 LF549



APA3 FT14 Fused tile and sandblasted design. See p72 for fused tile colour options. APA2 BO510













APC2 BO508





APC3 BO501





APG3 BO506

Please note the minimum sidelight width required for this bevel design to fit is 270mm



APG3 FT31 Fused tile and sandblasted design. See p72 for fused tile colour options.





APG Apeer 70 Traditional




APG3 BF502



APG3 FT25

Clear glass in sidelights and toplight. All sidelights are available with a decorative design to match the door glass or with clear/clear or clear/obscure glass. Sidelight design to match FT25 will depend on the sidelight width.








APL2 LF517



APL2 BO510 Door shown in Porcelain Blue.






APL Apeer 70 Traditional



APL2 BO500



APL2 BF503





APL2 BO508



APL2 LO64





APM2 BO500



APM2 LF515





APM Apeer 70 Traditional





APM2 FT14 Fused tile and sandblasted design See p72 for fused tile colour options.

APM2 LF549





APM2 FT27 See p72 for fused tile colour options.





APS Apeer 70 Traditional




APS2 BF505



APS2 BF504







APT2 BO506*

* Sidelight design to match B0506 will depend on the sidelight width.



APT2 BF502





APT2 LF547



APT2 BO7*

Pic shows clear glass in sidelight. All sidelights are available with a decorative design to match the door glass or with clear/clear or clear/obscure glass.

* Sidelight design to match B07 will depend on the sidelight width.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil.



= =

2 문

APT2 FT27 Fused tile and sandblasted design See p72 for fused tile colour options.





APY Apeer 70 Traditional




APY2 BO7*



APY2 LF35*

*Sidelight and toplight designs will depend on sidelight + toplight width and may vary from design shown





APP4 Apeer 70 Traditional



Lever Handles (Door only inc. frame)

720mm - 1088mm

(Door only inc. frame)

722mm - 1088mm

Stepped Threshold: 2007 - 2247mm MDS25/80 Threshold: 2008 - 2248mm

Low PVC Threshold: 2019 - 2259mm Full PVC Threshold: 2035 - 2275mm

Width

Height

AV2 Lock

Width

Height

Glue chip film design

APP4 SB15 Sandblasted design with clear circles.

Check Doorbuilder technical manual or website for full size details.

Stepped Threshold: 2017 - 2247mm

MDS25/80 Threshold: 2018 - 2248mm

Low PVC Threshold: 2029 - 2259mm

Full PVC Threshold: 2045 - 2275mm



Winkhaus Locking System (AV2 Heritage)

Contemporary pull handles and escutcheon plate are fitted with the Winkhaus AV2 Heritage locking system. APP4 doors can also be fitted with traditional lever lever handles and locking system.

AV2 Heritage lock is not available with split spindle.

Letterboxes can be fitted to APP4 doors to the lower section of the door as standard.



Fused tile only design.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer/20 doors are triple glazed as standard, All Apeer/40 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Please refer to our Doorbuilder technical manual or website for full sizing details. There are restrictions on door style, lock and handle. Door sizes also depend on sidelight and topight combinations. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.





APP4 House number sandblasted in top pane only.



APP4 BF571 Glue chip film design; see pic.





Stable Doors

The Stable Door has all the security and style of a high quality double rebate Apeer70 door, but with a rustic look that's perfect for both contemporary and classic houses.



APG4 F148 Fused tile and sandblasted design. See p72 for fused tile colour options.

* Hinge bolts are not available on stable doors.



Stable Doors

The Stable Door has all the security and style of a high quality double rebate Apeer70 door, but with a rustic look that's perfect for both contemporary and classic houses.



APY4 B0500 Detail of stable door





Stepped Threshold (25mm)

Max frame 986 x 2247 sash 900 x 2187 Min frame 806 x 2007 sash 720 x 1947

Mobility Threshold (15mm) Max frame 986 x 2250

sash 900 x 2187 Min frame 806 x 2010 sash 720 x 1947

Full uPVC Frame Threshold Max frame 986 x 2273

sash 900 x 2187 Min frame 806 x 2033 sash 720 x 1947

Low uPVC FrameThreshold

Max frame 986 x 2257 sash 900 x 2187 Min frame 806 x 2017 sash 720 x 1947

APY4 B0500

Shown in black.

* Hinge bolts are not available on stable doors.





French-Style Double Doors

These striking French-Style Double Doors have all the security, energy efficiency and style of an Apeer70 door, only twice over. With a double rebate and the option of triple glazed units, you can create the perfect double doors for your home.



APA1



Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.

APY2 FT14

Stepped Threshold

Max frame 1892w x 2247h sash 900 x 2187 Min frame 1532w x 2007h sash 720 x 1947

Full uPVC Frame Threshold

Max frame 1892w x 2273h sash 900 x 2187 Min frame 1532w x 2033h sash 720 x 1947

Low uPVC Frame Threshold

Max frame 1892w x 2257h sash 900 x 2187 Min frame 1532w x 2017h sash 720 x 1947

Check manual for APP4 double door sizes.

Double doors are available with any Apeer70 door style.

Double doors open inward only.



APEER 70 CONTEMPORARY

Introducing our contemporary door styles with a range of glass designs and stainless steel furniture

Y HOI





Door: APTS2 Glass: RG45 Tahoe Blue

Door: APTS2 Glass: RG46 Elegance



Door: APTS2 Glass: RG47 Abstract



Door: APTS4 Glass: SB27



Door: APTS4 Glass: RG20 Tahoe Black

* Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles.





Door: APTS10 Glass: SB16



Door: APTS13

Glass: SB18

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.



Door: APTS26 Glass: RG53 Symphony Letterbox not available on this style.




Door: APTS33 Glass: Satin Letterbox not available on this style.



Door: APTS24 Glass: FT55







Door: APTS35 Glass: FT43



Door: APTS11 Glass: SB20









Door: APTS32 Glass: RG23 Murano Blue





Door: APTS19 Glass: RG17 Prairie



Door: APTS14 Glass: RG55 Matrix Letterbox not available on this style.



Door: APTS33 Glass: SB27 Letterbox not available on this style.



Door: APTS17 Glass: Clear



Door: APTS16 **Glass: RG21 Reflections**

^{*} Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles.





Door: APTS5 Glass: RG51 Bullseye

* Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles.



Door: APTS29 Glass: RG56 Tahoe Blue Letterbox not available on this style.



Door: APTS6 Glass: FT50 No sandblast.



Door: APTS6 Glass: RG18 Prairie



Door: APTS6 Glass: RG35 Reflections



Door: APTS34 Glass: SB27



Door: APTS31 Glass: Satin Door: APTS21 Glass: Diamond Lead Letterbox not available on this style. Size of diamond: 100 x 150mm.



Door: APTS20 Glass: RG1 Simplicity



Glass: RG34 Abstract

* Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles.





Door: APTS23 Glass: RG61 Abstract



Door: APTS22 Glass: RG62 Reflections



Glass: RG53 Symphony



Door: APTS25 Glass: RG23 Murano Black



Door: APTS33* Glass: RG20 Tahoe Black



Tahoe Black Tahoe glass fused tile with a stainless steel surround. See P72 for colour options.





Glass: RG54 Linear



Door: APTS30 Glass: RG34 Abstract



Door: APTS28 Glass: RG20 Tahoe Purple



Door: APTS0



Door: APTS34 Glass: RG45 Tahoe Green

^{*} Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles.



APEER 70 THE MODO COLLECTION

Introducing our modern doors with stainless steel trims with a range of glass designs and stainless steel furniture



The Modo collection has all the security, durability and energy efficiency you've come to expect from an Apeer door.



Steel Glazing Trims Not only do the steel glazing trims give a contemporary look on both sides of the door, they're also an added security feature.

All Modo doors excluding Double doors are available with lever handles or contemporary handles (AV2 lock). Double doors are only available with lever handles.







AMD5

AMD9





AMD8

AMD6

11

AMD10






AMD11













AMD9 ST61 in door; SB27 sandblast with clear border in sidelights and toplight.

AMD4 FT66





AMD5 SB32 in door; SB27 sandblast with clear border in sidelights and toplight. SB32 glass design - clear leaves on a sandblasted background.










AMD10 FT66

Door Accessories

To complement our Apeer doors, we offer a range of high quality door furniture and door hardware. All door accessories are covered by a four-year surface finish guarantee.


Classic Lever Handles (also available with split handle)








Classic Lever Pad Handles (with split handle)



Contemporary handles are fitted with Winkhaus AV2 lock. AV2 lock is not

available with split spindle.



1200mm

Chrome

600mm

Bronze

Contemporary Door Handles (only available in stainless steel)

1800mm



'Bow' Handle

'D' Handle

White

White

Escutcheon Plate



Also available in brass

Finger Pull



Also available in brass





Scroll Knocker



Lionshead





Antique Black Black

Chrome

Letterbox

Antique Black

Apeer70 Flag Hinge

fitted with flag hinges.

Colour options available.

Butt hinges also available in gold, white and brown.

Apeer70 doors are

Gold





Bronze









In order to ensure the best quality accessories are used on Apeer doors, New World reserves the right to replace any of the above options as required. Hardware comes with manufacturer's warranty.

Satin Silver



Slimline Urn Knocker

Black Antique

Black











Satin

Silver



Contemporary Knocker















White

Antique Black

Black

Bronze Chrome Gold

Satin Silver

White



Gold

Satin Silver



White

Numerals







Bronze





Black

Chrome

Apeer44 Butt Hinges

Apeer44 doors are fitted with butt hinges. Colour options available



Glass Options

With our Murano and Tahoe (RG Codes) glass designs you can co-ordinate the colour of the decorative glass to complement your choice of door colour.




Backing Glass Options

All of the door designs (except RG glass codes) featured throughout the brochure can be backed with a range of obscure glass to suit all requirements for energy efficiency, safety and privacy. This is our standard range but we can offer more styles upon request. Please note there may be an additional charge for non standard obscure glass patterns. There is no choice of backing glass for any of the RG glass code designs shown.











Cotswold or equivalent

Contour or equivalent Satin or equivalent

Fused Tile (FT Codes) Colour Options

Please note colour changes must be specified on the order form.



Sidelights and Toplights

All decorative glass designs shown in doors with the RG code are available with a choice of sidelight and toplight options as shown. Due to the unique construction of the RG glass it is not possible to create matching sidelights or toplights. RG glass includes: Abstract, Bullseye, Classic, Clarity, Diamond Cut, Dorchester, Elegance, Linear, Matrix, Prairie, Reflections, Royale, Simplicity, Symphony and Tahoe.





Clear on Clear

Satin Backing Glass





Gluechip

Clear on Obscure (choice of six standard glass patterns)

* Please note: The fused tiles in Murano and Tahoe glass designs are not an exact match to the door colour

Whilst care is taken to ensure that this brochure is as up-to-date and accurate as possible, no responsibility can be taken by New World for any errors or omissions contained herein. In order to meet customer demand New World reserves the right to change the supplier of patterned glass without prior notice.

Minster or equivalent







Gluechip Toplight





Sandblasted with Clear Border (SB27)

Dimensions

Please refer to our Doorbuilder technical manual or website for full sizing details. There are restrictions depending on door style, lock and handle. Door sizes also depend on sidelight and toplight combinations.

Apeer70 Traditional



Lever Handles (Door only inc. frame)

Width 808mm - 988mm

Height Stepped Threshold: 2007mm - 2247mm MDS25/80 Threshold: 2008mm - 2248mm Low PVC Threshold: 2019mm - 2259mm Full PVC Threshold:

2035mm - 2275mm



AV2 Lock (Door only inc. frame) Escutheon plate only. Bar handles only available on APP1, APP2, APY1

Width 812mm - 988mm

Height

+ APY2.

Stepped Threshold: 2017mm - 2247mm MDS25/80 Threshold: 2018mm - 2248mm Low PVC Threshold: 2029mm - 2259mm Full PVC Threshold: 2045mm - 2275mm

Check Doorbuilder technical manual or website for full size details.

Apeer70 Contemporary

Lever Handles (Door only inc. frame)

Width *702mm - *1088mm

*Minimum and maximum width only available on certain styles

Height

Stepped Threshold: **1775mm - 2247mm MDS25/80 Threshold: **1776mm - 2248mm Low PVC Threshold: **1787mm - 2259mm Full PVC Threshold: **1803mm - 2275mm

**Minimum height only available on certain styles

AV2 Lock (Door only inc. frame) Width

*706mm - *1088mm

*Minimum and maximum width only available on certain styles and is restricted by type of contemporary handle

Height

Stepped Threshold: 2017mm - 2247mm MDS25/80 Threshold: 2018mm - 2248mm Low PVC Threshold: 2029mm - 2259mm Full PVC Threshold: 2045mm - 2275mm

Please note letterboxes are restricted on certain heights on Apeer70 Contemporary styles

Check Doorbuilder technical manual or website for full size details.

Apeer70 The Modo Collection

Lever Handles (Door only inc. frame)

Width *722mm - 1088mm

*Minimum and maximum width only available on certain styles



Stepped Threshold: **1929mm - 2247mm MDS25/80 Threshold: **1930mm - 2248mm Low PVC Threshold: **1941mm - 2259mm Full PVC Threshold: **1957mm - 2275mm

**Minimum height only available on certain styles

AV2 Lock (Door only inc. frame)

Width *778mm - 1088mm

*Minimum width only available on certain styles and is restricted by type of contemporary handle

Height

Stepped Threshold: 2017mm - 2247mm MDS25/80 Threshold: 2018mm - 2248mm Low PVC Threshold: 2029mm - 2259mm Full PVC Threshold: 2045mm - 2275mm

Check Doorbuilder technical manual or website for full size details.

Whilst care is taken to ensure that this brochure is as up-to-date and accurate as possible, no responsibility can be taken by New World for any errors or omissions contained herein. In order to meet customer demand New World reserves the right to change the supplier of patterned glass without prior notice.

74



Apeer44 Traditional



Lever Handles (Door only inc. frame) Width

793mm - 1013mm

Height

MDS25/80 Threshold: 2006mm - 2263mm Low PVC Threshold: 2027mm - 2284mm Full PVC Threshold: 2043mm - 2300mm



AV2 Lock (Door only inc. frame)

Escutheon plate only. Bar handles only available on MOP1, MOP2, MOY1 + MOY2.

Width 797mm - 1013mm

Height

MDS25/80 Threshold: 2006mm - 2263mm Low PVC Threshold: 2027mm - 2284mm Full PVC Threshold: 2043mm - 2300mm

Contemporary styles are not available in Apeer44 single rebate 70mm rigid

polyurethane

injected core

Apeer 70

Panel Sizes

Half Panel Sizing Apeer70 - APHP1 Apeer44 - MOHP1

533

1

215

103

642



Coupling Bar

Min width - 593mm Min height - 702mm Max width - 900mm

Max height - 1000mm

All Apeer door and sidelight photos in this brochure are shown with coupling bar.

215

They are also available as a fully welded option. Carriage surcharge may be applicable.

Please note all doorsets over 1500mm must be coupled for greater rigidity, stability and durability.

Further Technical Information

installers. To find your nearest installer please email your enquiry through our website with your address. www.nwd.uk.com

Installation Apeer doors should only be fitted by approved

All measurements must be verified by surveyor on site


Thermoset GRP skin GRP sub-frame

70mm uPVC double

ebated system

Stepped Aluminium Threshold (25mm) Distance from bottom of door leaf to bottom of threshold 18mm





Mobility Access Threshold MDS80/2 (15mm) Distance from bottom of door leaf to bottom of threshold 18mm



Mobility Access

Distance from

bottom of door

threshold 18mm

leaf to bottom of

MDS80/2 (15mm)

Threshold

Wheelchair Access Threshold MDS25/5/2 (15mm) Distance from bottom of door leaf to bottom of threshold 18mm



Wheelchair Access

MDS25/5/2 (15mm)

Distance from bottom of door

leaf to bottom of

threshold 18mm

Threshold

Distance from bottom of door leaf to bottom of threshold 56mm

uPVC Low Frame Threshold



uPVC

Full Frame

Threshold

Distance from bottom of door

leaf to bottom of

threshold 43mm

uPVC

Low Frame

Threshold Distance from bottom of door

leaf to bottom of

threshold 27mm

Distance from bottom of door leaf to bottom of threshold 42mm

Whilst care is taken to ensure that this brochure is as up-to-date and accurate as possible, no responsibility can be taken by New World for any errors or omissions contained herein. All measurements must be verified by surveyor on site. Drainage options only apply to PVC thresholds. Mullions and toplights are face drained as standard.

uPVC

Full Frame

Threshold

76



For more details on sizes please download the technical manual on our website or on our Door Builder software.

Whilst care is taken to ensure that this brochure is as up-to-date and accurate as possible, no responsibility can be taken by New World for any errors or omissions contained herein.

Traditional Door Styles

Available in Apeer70 double rebate (AP) and Apeer44 single rebate (MO).





APA / MOA

APG / MOG

the second se



APL / MOL



APT / MOT



APP4 / MOP4

Contemporary Door Styles

-

APTS17

(7)

Θ

17

APTS28

Only available as Apeer70 double rebate.



30.

10.

APTS18

APTS29



Chi D

APTS19

APTS30











APTS20

APTS22



APTS31

APTS32

4.65

APTS33

All traditional styles are available as solid doors with no glass.

APY / MOY

Whilst care is taken to ensure that this brochure is as up-to-date and accurate as possible, no responsibility can be taken by New World for any errors or omissions contained herein. All measurements must be verified by surveyor on site.

Whilst care is taken to ensure that this brochure is as up-to-date and accurate as possible, no responsibility can be taken by New World for any errors or omissions contained herein. All measurements must be verified by surveyor on site.





APTS13



APTS14



APTS16



APTS23



APTS24



APTS25



APTS26



APTS34



APTS35



APTSO



New World Woodside Industrial Estate Woodside Road Ballymena, Co. Antrim Northern Ireland BT42 4HX

T: 028 2563 2200 F: 028 2565 9334 sales@apeer.uk.com

T: 048 2563 2200 (ROI) F: 048 2565 9334 (ROI)

Apeer is a registered brand of New World Developments Ltd.

New World reserves the right to make alterations to any of the featured products without prior notice.